AS

Commercial Steel Door Frames











Power Ready

STC

- △ Rust-inhibiting galvanneal steel
- Tested to 1,000,000 cycles (Level A)
- △ For interior and exterior use



Performance Tested

• Up to 3hr.

• Singles / Pairs

Independently certified to meet the highest standards in performance for fire, severe weather and endurance testing, all backed by an unmatched factory warranty.

Hurricane*

Up to +/- 90psf

Singles / Pairs

Hardware Compatibility

Engineered to support both steel and wood doors with a variety of custom assemblies including both electrified and mechanical hardware.

Sustainable Design

All frame components are manufactured from environmentally responsible materials using the industry's most advanced manufacturing processes. LEED credits available for recycled content, indoor air quality, and regional sourcing.

Additional Options:

- Custom sizes and hardware configurations
- Special profiles
- Paintable galvanneal (unprimed) finish
- Drywall returns (double backbend)
- Welded corners (face, profile, continuous)
- 14-Gauge A60 galvanneal steel
- 18-Gauge A60 galvanneal steel (3070/6070 only)
- G90 galvanized steel

Applicable Standards:

- ANSI/BHMA A156.115
 UL 10C
- ANSI A250.4
 - ASTM E2010
- ANSI A250.8
- ASTM E2074
- ASTM A653
- CAN4 S104
- ANSI A250.10
- ASTM E90
- UL10B
- ASTM E413

*See specific listings for full details























